



RAVELLI

il fuoco intelligente

2023

Price List



RAVELLI

il fuoco intelligente

INDEX

PELLET PRODUCTS

STOVES

FLEXI LINE		
FLEXI 7	 	7
FLEXI 9	  	8
FLEXI 11	  	10
CONVECTION SYSTEM		
ARIA		12
ALFA S		12
AIR SYSTEM		
WHISPER 7	 	13
CIRCULAR 9	 	14
ELETTRA	   *only with kit	15
HOOP 7	 	16
HOOP 9	 	16
EASY 12		17
BLOCK 7		18
BLOCK 9		18
DUAL 7		19
DUAL 9		19
S 70		20
S 90		20
R 70		21
RV 80		22
RV 100		22
RV 110		23
RV 120 TOUCH STEEL		23
SPHERE V		24

FLOW SYSTEM		
SC 90		26
RC 70		26
EASY 12 C  NEW PRODUCT		27
RC 120 TOUCH STEEL		28
SPHERE C		29
STILO		30
OLIVIA STEEL		31
HYDRO SYSTEM		
HRV 100 TOUCH		32
HRV 140 TOUCH		32
HRV 120 GLOBE		33
HRV 140 GLOBE		33
HRV 120 PLUS		34
HRV 180 PLUS		34
HRV 120 COUNTRY		35
HRV 160 TOUCH		35
HRV 160 TOUCH STEEL		36
HRV 160 DESIGN		36
HRV 200		37
HRV 250		37
HRV 140 SILHOUETTE		38
HRV 180 SILHOUETTE		38

FIREPLACES

AIR SYSTEM		
RBV 7010 COMPACT		40
RBV 8010		42
R 1000 PRO		44
FLOW SYSTEM		
RCV 1000		46
MAGNUS		48
RBC 8012		50
HYDRO SYSTEM		
RBH 150 V		52
RBH 200 V		54

KITCHEN

COOKING SYSTEM		
MIA 90		56

BOILERS

HYDRO SYSTEM		
HR EVØ 200 SMART		58
HR EVØ 250 SMART		58
HR EVØ 300 SMART		59
HR EVØ 350 SMART		59

WOOD PRODUCTS

BOILERS

CONVECTION SYSTEM		
HR WOOD 250		60
HR WOOD 350		61

STOVES

CONVECTION SYSTEM		
EFESTO 		62
THOR 		63
DAFNE		64
DAFNE VIEW		64
CALLIOPE		65
CALLIOPE STONE		65
CALLIOPE VIEW		66
MINERVA		66
MINERVA STONE		67

INSERTS

CONVECTION SYSTEM		
ERCOLE	  *only with kit	68
ERMES	  *only with kit	68
CHRONOS	  *only with kit	69
ZEUS	  *only with kit	69

ACCESSORIES

WI-FI RAVELLI	70
HYDRO ACCESSORIES	71



FLEXI LINE

The heat is FLEXI

What kind of heat are you after?

FLEXI combines CONVECTION, AIR and FLOW technologies for a complete, flexible and fully customisable heating solution: a truly intelligent fire that can adjust performance based on individual preferences.

All of this is made possible by integrating three Ravelli systems in one stove:

- **Silent Comfort:** natural convection mode without use of CONVECTION fans
- **Immediate performance:** ventilated mode with activation of front AIR diffuser
- **Distributed heat:** ducted mode with rear fan activated to heat a second room through FLOW ducting.

Always with you

FLEXI communicates with you all the time, wherever you are. This is possible with Wi-Fi, included.

A question of style

FLEXI follows the latest interior design trends offering different combinations of finishes and aesthetics



EASY maintenance

FLEXI is equipped with an exclusive Ravelli patented micro-cast self-cleaning brazier to ensure constant automatic cleaning, low emission and efficiency


Ssshhh... heating in progress!

FLEXI has exclusive ZEN TECHNOLOGY, using brushless gear motor performance with natural convection to ensure uniform temperature heat distribution and healthier and cleaner air circulation.


FLEXI 7 CONVECTION
AIR



Entrata aria
Air inlet
Prise d'air
Ø50mm



Uscita fumi
Flue exit
Sortie de fumée
Ø80mm



STEEL VERSION

DESCRIPTION

- ☐ FLEXI 7 - White
☒ FLEXI 7 - Black

CODE

- 80016CR01-BCO
80016CR01-BLK

PRICE

- 4.190€
4.190€

A++

P. TOT.

3,4 - 7,5 kW

P. NOM.

3,3 - 7,1 kW

Pellet fuel consumption

0,7 - 1,5 kg/h

Efficiency

95,5 - 94,4%

Flue exit pipe

Ø 80 mm

Tank capacity

17 kg

Burn time

11 - 24 h

Installed power

35 W

Net weight

195 kg

Fans

1 frontal
disengageable

- Self-cleaning brazier
- 24 V brushless motor
- Wi-fi included
- Clean lines with concealed handle
- Teardrop top
- Upper peripheral air diffuser
- Maximum flexibility for simultaneous or separate management of ventilation
- Touch remote
- Small builtin emergency display
- Anti-condensation system
- Unclogging system

FLEXI 9



GLASS VERSION

A+

P. TOT.	3,4 - 8,9 kW
P. NOM.	3,3 - 8,3 kW
Pellet fuel consumption	0,7 - 1,8 kg/h
Efficiency	95,5 - 93,5%
Flue exit pipe	Ø 80 mm
Tank capacity	17 kg
Burn time	9 - 24 h
Installed power	35 W
Net weight	175-200 kg
Fans	1 frontal 1 for ducting disengageable

- Self-cleaning brazier
- 24 V brushless motor
- Anti-condensation system
- Unclogging system
- Wi-fi included
- Clean lines with concealed handle
- Tear- drop top
- Upper peripheral air diffuser
- Maximum flexibility for simultaneous or separate management of ventilation and ducting
- Touch remote
- Small built- in emergency display

DESCRIPTION	CODE	PRICE
FLEXI GLASS		
FLEXI 9 - Black	90012ER02-BLK	4.790€
FLEXI 9 - Silver	90012ER02-SIL	4.790€
FLEXI DÉCO (CERAMIC)		
FLEXI 9 - White	90018ER00-BCO (K0060AZ0C-BCO)	4.490€
FLEXI 9 - Bordeaux	90018ER00-BDX (K0060AZ0C-BDX)	4.490€
FLEXI STEEL		
FLEXI 9 - White	90013ER01-BCO	4.390€
FLEXI 9 - Black	90013ER01-BLK	4.390€
FLEXI 9 - Bordeaux	90013ER01-BDX	4.390€
FLEXI 9 - Grey	90013ER01-GRM	4.390€
FLEXI 9 - Silver	90013ER01-SIL (available while supplies last)	4.390€





CONVECTION

AIR

FLOW

FLEXI 9


GLASS VERSION





Entrata aria
Air inlet
Prise d'air
Ø50mm

Canalizzazione
Ducting
Canalisation
Ø80mm

Uscita fumi
Flue exit
Sortie de fumée
Ø80mm




DÉCO VERSION





Entrata aria
Air inlet
Prise d'air
Ø50mm

Canalizzazione
Ducting
Canalisation
Ø80mm

Uscita fumi
Flue exit
Sortie de fumée
Ø80mm




STEEL VERSION



Entrata aria
Air inlet
Prise d'air
Ø50mm

Canalizzazione
Ducting
Canalisation
Ø80mm

Uscita fumi
Flue exit
Sortie de fumée
Ø80mm



FLEXI 11



DÉCO VERSION (Ceramic)

A++

P. TOT.	4,0 - 10,7 kW
P. NOM.	3,8- 10,2 kW
Pellet fuel consumption	0,8 - 2,2 kg/h
Efficiency	94,6 - 95,2 %
Flue exit pipe	Ø 80 mm
Tank capacity	19 kg
Burn time	8 - 23 h
Installed power	71 W
Net weight	200-210 kg
Fans	1 frontal 1 for ducting disengageable

- Self-cleaning brazier
- 24 V brushless motor
- Anti-condensation system
- Unclogging system
- Wi-fi included
- Clean lines with concealed handle
- Tear- drop top
- Upper peripheral air diffuser
- Maximum flexibility for simultaneous or separate management of ventilation and ducting
- Upper output as standard
- Touch remote
- Small built- in emergency display

DESCRIPTION	CODE	PRICE
FLEXI GLASS		
☒ FLEXI 11 - Black	90016GR02-BLK (available while supplies last)	4.890€
☒ FLEXI 11 - Silver	90016GR02-SIL (available while supplies last)	4.890€
☐ FLEXI 11 - White	90016GR02-BCO	4.890€
FLEXI DÉCO (CERAMIC)		
☐ FLEXI 11 - White	90015GR00-BCO (K0061AZ0C-BCO)	4.890€
FLEXI STEEL		
☐ FLEXI 11 - White	90017GR01-BCO	4.790€
☒ FLEXI 11 - Black	90017GR01-BLK	4.790€
☒ FLEXI 11 - Bordeaux	90017GR01-BDX	4.790€
☒ FLEXI 11 - Grey	90017GR01-GRM	4.790€
ACCESSORIES		
Special kit for rear flue exit pipe	KIT-09B00013N	138 €




CONVECTION

AIR


FLOW

FLEXI 11


FLEXI 11 DÉCO





FLEXI 11 GLASS



FLEXI 11 STEEL



ARIA CONVECTION



P. TOT.	2,9 - 6,3 kW
P. NOM.	2,7 - 5,7 kW
Pellet fuel consumption	0,6 - 1,3 kg/h
Efficiency	93,8 - 91,5 %
Flue exit pipe	Ø 80 mm
Tank capacity	17 kg
Burn time	13 - 29 h
Installed power	50 W
Net weight	130 kg



- Steel painted top
- Front glass
- Cast iron structure
- Ceramic sides
- Hand-crafted solid oak base
- Touch remote

DESIGN BY DANIELE GUALENI

DESCRIPTION	CODE	PRICE
☐ ARIA - White	10015BR06-BCO (010-KIT-BCO)	3.550€
☒ ARIA - Black	10015BR06-BLK (010-KIT-BLK)	3.550€
ACCESSORIES		
WI-FI stove management	K0078AZ00	221 €

V K F A E A I **BImSchV 2**

ALFA S CONVECTION



P. TOT.	2,3 - 7,2 kW
P. NOM.	2,1 - 6,5 kW
Pellet fuel consumption	0,5 - 1,5 kg/h
Efficiency	92,7 - 90,5 %
Flue exit pipe	Ø 80 mm
Tank capacity	15 kg
Burn time	10 - 32 h
Installed power	21 W
Net weight	145 kg



- Self-cleaning brazier
- Hermetic stove
- Cast iron top
- Painted steel sides
- Cast iron heat exchange surface
- Upper and side flue exit as standard
- Touch remote

DESIGN BY DANIELE GUALENI

DESCRIPTION	CODE	PRICE
☒ ALFA S - Black	043-00-002A-BLK	3.550€
☒ ALFA S - Bronze	043-00-002A-BRZ	3.550€
ACCESSORIES		
WI-FI stove management	K0078AZ00	221 €

V K F A E A I **BImSchV 2**

WHISPER 7 AIR CONVECTION






DESIGN BY DANIELE GUALENI

			A ⁺	
DESCRIPTION	CODE	PRICE	P. TOT.	4,6 - 7,2 kW
 WHISPER 7 - White	10004CR01-BCO	3.350€	P. NOM.	4,3 - 6,6 kW
 WHISPER 7 - Black	10004CR01-BLK	3.350€	Pellet fuel consumption	0,94 - 1,49 kg/h
 WHISPER 7 - Bronze	10004CR01-BRZ	3.350€	Efficiency	94,6 - 92,2 %
ACCESSORIES			Flue exit pipe	Ø 80 mm
WI-FI stove management	K0078AZ00	221 €	Tank capacity	18 kg
			Burn time	12 - 19 h
			Installed power	36 W
			Net weight	140 kg
			Fans	1 upper disengageable

- Self-cleaning brazier
- 24 V brushless motor
- Hermetic stove
- Cast iron top and door
- Cast iron and steel heat exchange surface
- Cast iron heat exchange surface
- One disengageable upper fan
- Touch remote

CIRCULAR 9 AIR CONVECTION




DESIGN BY WHYNOT DESIGN

DESCRIPTION	CODE	PRICE	P. TOT.	3,9 - 9,0 kW
 CIRCULAR 9 - Black	80021ER01-BLK	4.590€	P. NOM.	3,6 - 8,0 kW
 CIRCULAR 9 - White	80021ER01-BCO	4.590€	Pellet fuel consumption	0,8 - 1,83 kg/h
 CIRCULAR 9 - Bronze	80021ER01-BRZ	4.590€	Efficiency	89,3 - 92,6 %
ACCESSORIES			Flue exit pipe	Ø 80 mm
Special kit for rear flue exit pipe	K0076AZ00	165 €	Tank capacity	14 kg
			Burn time	8 - 18 h
			Installed power	13 W
			Net weight	150 kg
			Fans	1 upper disengageable



- Self-cleaning brazier
- 24 V brushless motor
- Unclogging system: auger control system to avoid jamming
- Painted steel
- Upper flue exit with possibility of coaxial
- Optional rear smoke exit
- Disengageable upper fan
- Cast iron heat exchanger
- Touch remote
- Small built-in emergency display
- Wi-fi included

ELETTRA AIR CONVECTION FLOW (only with kit)



DESIGN BY DANIELE GUALENI



A⁺

DESCRIPTION	CODE	PRICE	P. TOT.	3,5 - 8,9 kW
 ELETTRA - Black	20046DR01-BLK (available while supplies last)	4.570€	P. NOM.	3,2 - 8 kW
ACCESSORIES			Pellet fuel consumption	0,7 - 1,8 kg/h
Special kit for lateral flue exit pipe	D080C090	83 €	Efficiency	92,6 - 90,0 %
Special kit for rear flue exit pipe	D080C045	83 €	Flue exit pipe	Ø 80 mm
Kit for ducting Ø80	K0059AZ00	109 €	Tank capacity	18 kg
WI-FI stove management	K0078AZ00	221 €	Burn time	10 - 25 h
			Installed power	22 W
			Net weight	170 kg
			Fans	1 upper disengageable

- Self-cleaning brazier
- 24 V brushless motor
- Unclogging system: auger control system to avoid jamming
- Slim stove in painted steel with glass door
- Upper ventilation that can be deactivated
- Lateral and rear flue exit pipe optional
- Disengageable upper fan
- Optional kit for ducting
- Cast iron heat exchange surface
- Touch remote
- Small built- in emergency display

HOOP 7

AIR CONVECTION



P. TOT. 4,4 - 6,8 kW

P. NOM. 4,2 - 6,4 kW

Pellet fuel consumption 0,9 - 1,4 kg/h

Efficiency 95,4 - 94,2%

Flue exit pipe Ø 80 mm

Tank capacity 20 kg

Burn time 14 - 22 h

Installed power 42 W

Net weight 190 kg

Fans 1 frontal

TECHNICAL DATA CURRENTLY UNDER CERTIFICATION

- New electronics + emergency display
- Sealed
- Natural convection
- Room fan that can be disabled
- Painted steel sides (two-tone)
- Cast iron top with upper discharge
- Wide flame

DESIGN BY WHYNOT DESIGN

DESCRIPTION	CODE	PRICE
☐ HOOP 7 - White	80029CR01-BCO	4.150 €
☒ HOOP 7 - Bronze	80029CR01-BRZ	4.150 €
☐ HOOP 7 - Bordeaux	80029CR01-BDX	4.150 €



ACCESSORIES

Special kit for rear flue exit pipe	K0089AZ00	165 €
-------------------------------------	-----------	-------

V K F A E A I BImSchV 2

HOOP 9

AIR CONVECTION



P. TOT. 4,4 - 9,1 kW

P. NOM. 4,2 - 8,4 kW

Pellet fuel consumption 0,9 - 1,9 kg/h

Efficiency 95,4 - 92,6%

Flue exit pipe Ø 80 mm

Tank capacity 20 kg

Burn time 11 - 22 h

Installed power 44 W

Net weight 190 kg

Fans 1 frontal

TECHNICAL DATA CURRENTLY UNDER CERTIFICATION

- New electronics + emergency display
- Sealed
- Natural convection
- Room fan that can be disabled
- Painted steel sides (two-tone)
- Cast iron top with upper discharge
- Wide flame

DESIGN BY WHYNOT DESIGN


DESCRIPTION	CODE	PRICE
☐ HOOP 9 - White	80030ER01-BCO	4.290 €
☒ HOOP 9 - Bronze	80030ER01-BRZ	4.290 €
☐ HOOP 9 - Bordeaux	80030ER01-BDX	4.290 €

ACCESSORIES

Special kit for rear flue exit pipe	K0089AZ00	165 €
-------------------------------------	-----------	-------

V K F A E A I BImSchV 2

EASY 12 AIR




A⁺

DESCRIPTION	CODE	PRICE	P. TOT.	5,0 - 12,2 kW
 EASY 12 - White	20063GR01-BCO	2.770€	P. NOM.	4,8 - 11,3 kW
 EASY 12 - Bordeaux	20063GR01-BDX	2.770€	Pellet fuel consumption	1,0 - 2,5 kg/h
 EASY 12 - Bronze	20063GR01-BRZ	2.770€	Efficiency	95,3 - 93,0 %
			Flue exit pipe	Ø 80 mm
			Tank capacity	27 kg
			Burn time	11 - 26 h
			Installed power	63 W
			Net weight	145 kg
			Fans	1 upper

TECHNICAL DATA CURRENTLY UNDER CERTIFICATION

- Removable handle
- Cast iron top
- Cast iron firepot
- Painted steel sides
- Rear smoke exit
- Upper fan
- Removable ash drawer

BLOCK 7



DESIGN BY WHYNOT DESIGN

DESCRIPTION	CODE	PRICE
 BLOCK 7 - Stone	20059CR07	4.250 €

ACCESSORIES

Special kit for rear flue exit pipe	K0087AZ00	165 €
--	-----------	-------


P. TOT.	4,4 - 6,8 kW
P. NOM.	4,2 - 6,4 kW
Pellet fuel consumption	0,9 - 1,4 kg/h
Efficiency	95,4 - 94,2 %
Flue exit pipe	Ø 80 mm
Tank capacity	15 kg
Burn time	11 - 16 h
Installed power	42 W
Net weight	180 kg
Fans	1 frontal

TECHNICAL DATA CURRENTLY UNDER CERTIFICATION

- New electronics + emergency display
- Sealed
- Front ventilation
- Upper discharge + sliding top
- Stone or painted steel sides
- Stone top
- Wide flame

 BImSchV 2

BLOCK 9



DESIGN BY WHYNOT DESIGN

DESCRIPTION	CODE	PRICE
 BLOCK 9 - Stone	20061ER07	4.390 €

ACCESSORIES

Special kit for rear flue exit pipe	K0087AZ00	165 €
--	-----------	-------



P. TOT.	4,4 - 6,8 kW
P. NOM.	4,2 - 6,4 kW
Pellet fuel consumption	0,9 - 1,4 kg/h
Efficiency	95,4 - 94,2 %
Flue exit pipe	Ø 80 mm
Tank capacity	15 kg
Burn time	11 - 16 h
Installed power	42 W
Net weight	180 kg
Fans	1 frontal

TECHNICAL DATA CURRENTLY UNDER CERTIFICATION


- New electronics + emergency display
- Sealed
- Front ventilation
- Upper discharge + sliding top
- Stone or painted steel sides
- Stone top
- Wide flame

 BImSchV 2

DUAL 7 AIR



Entrata aria
Air inlet
Prise d'air
Ø50mm



Uscita fumi
Flue exit
Sortie de fumée
Ø80mm



P. TOT.	3,5 - 7,2 kW
P. NOM.	3,3 - 6,6 kW
Pellet fuel consumption	0,7 - 1,5 kg/h
Efficiency	92,5 - 91,7%
Flue exit pipe	Ø 80 mm
Tank capacity	15 kg
Burn time	10 - 20 h
Installed power	38 W
Net weight	140 kg
Fans	1 frontal

- Self-cleaning brazier
- Hermetic stove
- Cast iron top and door
- Painted steel sides
- Steel and cast iron heat exchange surface
- One frontal fan
- Touch remote

DESIGN BY DANIELE GUALENI



DESCRIPTION	CODE	PRICE
☐ DUAL 7 - White	012-00-001A-BCO	3.250€
☒ DUAL 7 - Black	012-00-001A-BLK	3.250€
☐ DUAL 7 - Bronze	012-00-001A-BRZ	3.250€

ACCESSORIES


WI-FI stove management	K0078AZ00	221 €
------------------------	-----------	-------

V K F  **BlmSchV 2**


DUAL 9 AIR



Entrata aria
Air inlet
Prise d'air
Ø50mm



Uscita fumi
Flue exit
Sortie de fumée
Ø80mm



P. TOT.	3,5 - 9,2 kW
P. NOM.	3,3 - 8,3 kW
Pellet fuel consumption	0,7 - 1,9 kg/h
Efficiency	92,5 - 90,3%
Flue exit pipe	Ø 80 mm
Tank capacity	17 kg
Burn time	9 - 23 h
Installed power	45 W
Net weight	150 kg
Fans	1 frontal

- Self-cleaning brazier
- Hermetic stove
- Cast iron top and door
- Painted steel sides
- Steel and cast iron heat exchange surface
- One frontal fan
- Touch remote

DESIGN BY DANIELE GUALENI


DESCRIPTION	CODE	PRICE
☐ DUAL 9 - White	017-00-001A-BCO	3.390€
☒ DUAL 9 - Black	017-00-001A-BLK	3.390€
☐ DUAL 9 - Bronze	017-00-001A-BRZ	3.390€

ACCESSORIES

WI-FI stove management	K0078AZ00	221 €
------------------------	-----------	-------

V K F  **BlmSchV 2**

S 70 AIR




P. TOT.	3,1 - 7,1 kW
P. NOM.	2,9 - 6,4 kW
Pellet fuel consumption	0,7 - 1,5 kg/h
Efficiency	92,2 - 90,8 %
Flue exit pipe	Ø 80 mm
Tank capacity	11 kg
Burn time	7 - 17 h
Installed power	59 W
Net weight	115 kg
Fans	1 frontal

- Sides in two- colour painted steel
- Upper- left output as standard
- Cast iron top with reduced thickness for a modern aesthetic
- Lateral and rear flue exit pipe optional
- Front fan
- Wi-fi included
- Touch remote

DESCRIPTION	CODE	PRICE
☐ S 70 - White	20044CR01-BCO	2.850€
☐ S 70 - Grey	20044CR01-GRM	2.850€
☐ S 70 - Bronze	20044CR01-BRZ	2.850€
ACCESSORIES		
Special kit for rear flue exit pipe	K0050AR00	138 €
Special kit for lateral flue exit pipe	K0051AR00-BCO/GRM/BRZ	94 €
Hopper expansion kit (only for lateral or rear flue exit)	K0052AR00	83 €

V K F  A E A I BImSchV 2

S 90 AIR




P. TOT.	3,1 - 8,7 kW
P. NOM.	2,9 - 7,8 kW
Pellet fuel consumption	0,65 - 1,8 kg/h
Efficiency	92,2 - 90,4 %
Flue exit pipe	Ø 80 mm
Tank capacity	11 kg
Burn time	6 - 17 h
Installed power	61 W
Net weight	115 kg
Fans	1 frontal

- Sides in two- colour painted steel
- Upper- left output as standard
- Cast iron top with reduced thickness for a modern aesthetic
- Lateral and rear flue exit pipe optional
- Front fan
- Wi-fi included
- Touch remote

DESCRIPTION	CODE	PRICE
☐ S 90 - White	20045ER01-BCO	2.950€
☐ S 90 - Grey	20045ER01-GRM	2.950€
☐ S 90 - Bronze	20045ER01-BRZ	2.950€
ACCESSORIES		
Special kit for rear flue exit pipe	K0050AR00	138 €
Special kit for lateral flue exit pipe	K0051AR00-BCO/GRM/BRZ	94 €
Hopper expansion kit (only for lateral or rear flue exit)	K0052AR00	83 €

V K F  A E A I BImSchV 2

R 70 AIR



A+



DESCRIPTION	CODE	PRICE	P. TOT.	3,1 - 7,1 kW
 R 70 - White	014-00-001A-BCO	2.450€	P. NOM.	2,9 - 6,5 kW
 R 70 - Black	014-00-001A-ANC	2.450€	Pellet fuel consumption	0,65 - 1,5 kg/h
 R 70 - Bordeaux	014-00-001A-BDX	2.450€	Efficiency	92,2 - 90,8 %
 R 70 - Hazel	014-00-001A-NOC	2.450€	Flue exit pipe	Ø 80 mm
ACCESSORIES			Tank capacity	15 kg
5 buttons RDS remote control	55263	22 €	Burn time	10 - 23 h
Special kit for upper flue exit pipe (Tank capacity 11kg)	014-66-001A	138 €	Installed power	59 W
Special kit for lateral flue exit pipe	014-66-017N	61 €	Net weight	125 kg
WI-FI stove management	K0078AZ00	221 €	Fans	1 frontal

- Ceramic top
- Painted steel sides
- Rounded cast iron front
- Cast iron firepot
- One frontal fan
- Optional top or side flue exit

RV 80 AIR



A*



DESCRIPTION	CODE	PRICE
☐ RV 80 - White	014-00-007A-BCO (070-KIT2-BCO)	2.960€
☒ RV 80 - Black	014-00-007A-BLK (070-KIT2-BLK)	2.960€
☐ RV 80 - Bordeaux	014-00-007A-BDX (070-KIT2-BDX)	2.960€

ACCESSORIES



WI-FI stove management	K0078AZ00	221 €
------------------------	-----------	-------

V K F A E A I **BlmSchV 2 15a B-VG**

RV 100 AIR



A*



DESCRIPTION	CODE	PRICE
☐ RV 100 - White	20056FR03-BCO (100-10-017A-BCO)	3.790€
☒ RV 100 - Black	20056FR03-ANC (100-10-017A-ANC)	3.790€
☐ RV 100 - Bordeaux	20056FR03-BDX (100-10-017A-BDX)	3.790€

ACCESSORIES


WI-FI stove management	K0078AZ00	221 €
------------------------	-----------	-------

V K F A E A I **BlmSchV 2 15a B-VG**

P. TOT.	4,7 - 11,5 kW
P. NOM.	4,3 - 10,3 kW
Pellet fuel consumption	0,96 - 2,36 kg/h
Efficiency	91 - 89 %
Flue exit pipe	Ø 80 mm
Tank capacity	25 kg
Burn time	11 - 26 h
Installed power	94 W
Net weight	150 kg
Fans	1 frontal

- Ceramic top
- Aluminium sides
- Cast iron firepot
- One frontal fan
- Remote

RV 110 AIR




P. TOT.	4,7 - 11,5 kW
P. NOM.	4,3 - 10,3 kW
Pellet fuel consumption	0,96 - 2,36 kg/h
Efficiency	91 - 89 %
Flue exit pipe	Ø 80 mm
Tank capacity	22 kg
Burn time	9 - 23 h
Installed power	94 W
Net weight	150 kg
Fans	1 frontal

- Cast iron top
- Ceramic casing
- Cast iron firepot
- Remote

DESCRIPTION	CODE	PRICE
☐ RV 110 - White	20054FR03-BCO (100-KIT1-BCO)	3.590€
☒ RV 110 - Bordeaux	20054FR03-BDX (100-KIT1-BDX)	3.590€
ACCESSORIES		
WI-FI stove management	K0078AZ00	221 €

 BlmSchV 2 15a B-VG

RV 120 TOUCH STEEL AIR



P. TOT.	5,3 - 12,1 kW
P. NOM.	4,9 - 10,8 kW
Pellet fuel consumption	1,1 - 2,5 kg/h
Efficiency	91,8 - 89,0 %
Flue exit pipe	Ø 80 mm
Tank capacity	28 kg
Burn time	11 - 26 h
Installed power	93 W
Net weight	165 kg
Fans	1 frontal

- Self-cleaning brazier
- Hermetic stove
- Cast iron top and fro
- Painted steel sides
- One frontal fan
- Touch remote


DESIGN BY DANIELE GUALENI

DESCRIPTION	CODE	PRICE
☐ RV 120 TOUCH - White	074-00-001A-BCO	3.590€
☒ RV 120 TOUCH - Black	074-00-001A-BLK	3.590€
☒ RV 120 TOUCH - Bordeaux	074-00-001A-BDX	3.590€
☒ RV 120 TOUCH - Bronze	074-00-001A-BRZ	3.590€
ACCESSORIES		

WI-FI stove management	K0078AZ00	221 €
------------------------	-----------	-------

 BlmSchV 2

SPHERE V AIR



A*

DESCRIPTION	CODE	PRICE	P. TOT.	5,3 - 12,1 kW
STEEL VERSION				
☐ SPHERE V - White	20030HR01-BCO (available while supplies last)	3.980 €	P. NOM.	4,9 - 10,8 kW
☒ SPHERE V - Black	20030HR01-BLK (available while supplies last)	3.980 €	Pellet fuel consumption	1,1 - 2,5 kg/h
☐ SPHERE V - Bronze	20030HR01-BRZ (available while supplies last)	3.980 €	Efficiency	91,8 - 89,0 %
☐ SPHERE V - Grey	20030HR01-GRM (available while supplies last)	3.980 €	Flue exit pipe	Ø 80 mm
CERAMIC VERSION				
☐ SPHERE V - White	20043HR03-BCO (K0063AR0C-BCO) (available while supplies last)	4.280 €	Tank capacity	28 kg
☒ SPHERE V - Bordeaux	20043HR03-BDX (K0063AR0C-BDX) (available while supplies last)	4.280 €	Burn time	11 - 26 h
ACCESSORIES			Installed power	93 W
			Net weight	205-220 kg
			Fans	1 frontal

WI-FI stove management	K0078AZ00	221 €	- Self-cleaning brazier
			- Choice of painted steel or ceramic finish
			- Cast iron top, glass door
			- One frontal fan
			- Touch remote



RAVELLI

il fuoco intelligente



RAVELLI STUDIO

Your home has never been so digital

Download the new Ravelli App and have fun with augmented reality!


You can choose the product you prefer, selecting the colour that best suits your taste, and set it directly in your home.

All that with a simple touch.





Use the APP also to access the in-depth documents and to discover the exclusive contents hidden among the pages of our catalogue. You just have to frame the pages!



SC 90 FLOW



A⁺



DESCRIPTION	CODE	PRICE
☐ SC 90 - White	30019ER01-BCO	3.050 �
☒ SC 90 - Grey	30019ER01-GRM	3.050 �
☐ SC 90 - Bronze	30019ER01-BRZ	3.050 �

ACCESSORIES

Special kit for lateral flue exit pipe	K0053AR00-BCO/GRM/BRZ	94 �
--	-----------------------	------

P. TOT.	3,5 - 9,3 kW
P. NOM.	3,3 - 8,3 kW
Pellet fuel consumption	0,7 - 1,9 kg/h
Efficiency	92,5 - 89,4 %
Flue exit pipe	�� 80 mm
Tank capacity	10 kg
Burn time	5 - 14 h
Installed power	100 W
Net weight	120 kg
Fans	1 frontal 1 for ducting





- Sides in two- colour painted steel
- Cast iron top with reduced thickness for a modern aesthetic
- Wi-fi included
- Optional lateral flue exit
- Touch remote

V K F A E A I **BImSchV 2**

RC 70 FLOW



A⁺



DESCRIPTION	CODE	PRICE
☐ RC 70 - White	014-00-002A-BCO	2.590 �
☒ RC 70 - Black	014-00-002A-ANC	2.590 �
☐ RC 70 - Bordeaux	014-00-002A-BDX	2.590 �

ACCESSORIES

Special kit for lateral flue exit pipe	014-66-017N	61 �
WI-FI stove management	K0078AZ00	221 �





P. TOT.	3,5 - 8,2 kW
P. NOM.	3,3 - 7,4 kW
Pellet fuel consumption	0,7 - 1,7 kg/h
Efficiency	92,5 - 90,3 %
Flue exit pipe	�� 80 mm
Tank capacity	10 kg
Burn time	6 - 14 h
Installed power	105 W
Net weight	110 kg
Fans	1 frontal 1 for ducting

- Ceramic top
- Rounded cast iron front
- Painted steel sides
- Cast iron firepot
- Optional lateral flue exit
- One frontal fan for ventilation and one for ducting
- Remote

V K F A E A I **BImSchV 2**

NEW PRODUCT

EASY 12 C FLOW



DESCRIPTION

-  EASY 12 C - White
-  EASY 12 C - Bordeaux
-  EASY 12 C - Bronze

CODE

- 30025GR01-BCO
- 30025GR01-BDX
- 30025GR01-BRZ

PRICE


- 3.000€
- 3.000€
- 3.000€

A+

P. TOT.	5,0 - 12,2 kW
P. NOM.	4,8 - 11,3 kW
Pellet fuel consumption	1,0 - 2,5 kg/h
Efficiency	95,3 - 93,0 %
Flue exit pipe	Ø 80 mm
Tank capacity	27 kg
Burn time	11 - 26 h
Installed power	122 W
Net weight	150 kg
Fans	1 upper 2 for ducting

- Removable handle
- Cast iron top
- Cast iron brazier
- Steel sides
- Standard rear flue outlet
- Removable ash drawer

RC 120 TOUCH STEEL FLOW




DESIGN BY DANIELE GUALENI


DESCRIPTION		CODE	PRICE	P. TOT.	5,3 - 12,1 kW
 RC 120 TOUCH - White		073-00-001A-BCO	3.990€	P. NOM.	4,9 - 10,8 kW
 RC 120 TOUCH - Black		073-00-001A-BLK	3.990€	Pellet fuel consumption	1,1 - 2,5 kg/h
 RC 120 TOUCH - Bordeaux		073-00-001A-BDX	3.990€	Efficiency	91,8 - 89,0 %
 RC 120 TOUCH - Bronze		073-00-001A-BRZ	3.990€	Flue exit pipe	Ø 80 mm
ACCESSORIES				Tank capacity	28 kg
WI-FI stove management		K0078AZ00	221 €	Burn time	11 - 26 h
				Installed power	100 W
				Net weight	170 kg
				Fans	1 frontal 2 for ducting

- Self-cleaning brazier
- Hermetic stove
- Cast iron top and fro
- Painted steel sides
- One frontal fan
- Two fans for ducting
- Opportunity to set 3 different temperatures
- Touch remote

SPHERE C FLOW



STEEL VERSION



CERAMIC VERSION

A*


DESCRIPTION	CODE	PRICE	P. TOT.	5,3 - 12,1 kW
STEEL VERSION				
 SPHERE C - White	30013HR01-BCO	4.290€	P. NOM.	4,9 - 10,8 kW
 SPHERE C - Black	30013HR01-BLK	4.290€	Pellet fuel consumption	1,1 - 2,5 kg/h
 SPHERE C - Bronze	30013HR01-BRZ	4.290€	Efficiency	91,8 - 89,0 %
 SPHERE C - Grey	30013HR01-GRM	4.290€	Flue exit pipe	Ø 80 mm
CERAMIC VERSION				
 SPHERE C - White	30018HR03-BCO (K0063AR0C-BCO)	4.590€	Tank capacity	28 kg
 SPHERE C - Bordeaux	30018HR03-BDX (K0063AR0C-BDX)	4.590€	Burn time	11 - 26 h
ACCESSORIES				
WI-FI stove management	K0078AZ00	221 €	Installed power	100 W
			Net weight	210-225 kg
			Fans	1 frontal 2 for ducting

- Self-cleaning brazier
- Choice of painted steel or ceramic finish
- Cast iron top, glass door
- One frontal fan
- Two fans for ducting
- Opportunity to set 3 different temperatures
- Touch remote



BImSchV 2

STILO FLOW



DESIGNED BY WHYNOT DESIGN

A⁺


DESCRIPTION	CODE	PRIX	P. TOT.	4,9 - 11,3 kW
STONE VERSION				
 STILO - Grey stone	30021HR07	5.090€	P. NOM.	4,6 - 10,5 kW
STEEL VERSION				
 STILO - White	30022HR01-BCO	4.500€	Pellet fuel consumption	1,0 - 2,4 kg/h
 STILO - Black	30022HR01-BLK	4.500€	Efficiency	93,8 - 93 %
ACCESSORIES				
Right side ducted air kit	K0074AZ00	165 €	Flue exit pipe	Ø 80 mm
Left side ducted air kit	K0073AZ00	165 €	Tank capacity	31 kg
Special kit for rear flue exit pipe	K0072AZ00	99 €	Burn time	13 - 31 h
			Installed power	105 W
			Net weight	180-190 kg
			Fans	2 for ducting and 1 frontal

- Self-cleaning brazier
- 24 V brushless motor
- Unclogging system: auger control system to avoid jamming
- Slim stove with a choice of aesthetics between serpentine and painted steel
- Upper flue exit with possibility of coaxial
- Optional rear smoke exit
- One frontal fan
- Two fans for ducting
- Opportunity to set 3 different temperatures
- Air outlet from cavity in door
- Rear ducting outlet (standard) or side
- Wi-fi included
- Touch remote
- Small built-in emergency display



BImSchV 2

OLIVIA STEEL FLOW






DESIGN BY DANIELE GUALENI

			A+	
DESCRIPTION	CODE	PRICE	P. TOT.	3,4 - 9,4 kW
OLIVIA STEEL - White	30020ER01-BCO	3.450€	P. NOM.	3,1 - 8,4 kW
OLIVIA STEEL - Black	30020ER01-ANC	3.450€	Pellet fuel consumption	0,7 - 2 kg/h
OLIVIA STEEL - Bordeaux	30020ER01-BDX	3.450€	Efficiency	90,7 - 88,9 %
ACCESSORIES			Flue exit pipe	Ø 80 mm
WI-FI stove management	K0078AZ00	221 €	Tank capacity	15 kg
			Burn time	8 - 21 h
			Installed power	60 W
			Net weight	105 kg
			Fans	1 frontal 1 for ducting

- Stove with extremely shallow depth
- Painted steel front
- Black steel sides
- Rear flue exit
- Upper and side optional flue exit
- One frontal fan and one for ducting
- Remote

HRV 100 TOUCH



DESIGN BY DANIELE GUALENI

DESCRIPTION	CODE	PRICE
☐ HRV 100 TOUCH - White	039-00-001A-BCO	5.190€

ACCESSORIES

WI-FI stove management	K0078AZ00	221 €
------------------------	-----------	-------

A+

P. TOT.	4,9 - 13,6 kW
P. NOM.	4,4 - 13,0 kW
P. H ₂ O	3,8 - 10,5 kW
Pellet fuel consumption	1,0 - 2,8 kg/h
Efficiency	91,1 - 95,7 %
Flue exit pipe	Ø 80 mm
Tank capacity	23 kg
Burn time	8 - 23 h
Installed power	75 W
Net weight	190 kg
Fans	1 frontal disengageable




- Self-cleaning brazier
- Cast iron top
- Glass front with ceramic detail
- Painted steel sides
- One disengageable frontal fan
- Touch remote

V K F A E A I

BImSchV 2



HRV 140 TOUCH



DESIGN BY DANIELE GUALENI

DESCRIPTION	CODE	PRICE
☐ HRV 140 TOUCH - White	038-00-001A-BCO	5.590€
☒ HRV 140 TOUCH - Bordeaux	038-00-001A-BDX	5.590€

ACCESSORIES

WI-FI stove management	K0078AZ00	221 €
------------------------	-----------	-------

A+

P. TOT.	4,9 - 18,6 kW
P. NOM.	4,4 - 17,6 kW
P. H ₂ O	3,8 - 15,1 kW
Pellet fuel consumption	1 - 3,8 kg/h
Efficiency	91,1 - 94,7 %
Flue exit pipe	Ø 80 mm
Tank capacity	23 kg
Burn time	6 - 23 h
Installed power	85 W
Net weight	190 kg
Fans	1 frontal disengageable




- Self-cleaning brazier
- Cast iron top
- Glass front with ceramic detail
- Painted steel sides
- One disengageable frontal fan
- Touch remote

V K F A E A I

BImSchV 2



HRV 120 GLOBE



DESIGN BY DANIELE GUALENI

DESCRIPTION	CODE	PRICE
☐ HRV 120 GLOBE - White	086-00-001A-BCO (086-KIT-BCO)	5.890€
☒ HRV 120 GLOBE - Bordeaux	086-00-001A-BDX (086-KIT-BDX)	5.890€

ACCESSORIES

WI-FI stove management	K0078AZ00	221 €
------------------------	-----------	-------

A+

P. TOT.	4,9 - 16,3 kW
P. NOM.	4,4 - 15,5 kW
P. H ₂ O	3,8 - 13 kW
Pellet fuel consumption	1 - 3,4 kg/h
Efficiency	91,1 - 95,2 %
Flue exit pipe	Ø 80 mm
Tank capacity	23 kg
Burn time	7 - 23 h
Installed power	79 W
Net weight	210 kg
Fans	1 frontal disengageable




- Self-cleaning brazier
- Cast iron top
- Glass and ceramic front
- Aluminium and ceramic sides
- One disengageable frontal fan
- Touch remote



BImSchV 2



HRV 140 GLOBE



DESIGN BY DANIELE GUALENI

DESCRIPTION	CODE	PRICE
☐ HRV 140 GLOBE - White	139-00-001A-BCO (086-KIT-BCO)	5.790€
☒ HRV 140 GLOBE - Bordeaux	139-00-001A-BDX (086-KIT-BDX)	5.790€

ACCESSORIES

WI-FI stove management	K0078AZ00	221 €
------------------------	-----------	-------

A+

P. TOT.	4,9 - 18,6 kW
P. NOM.	4,4 - 17,6 kW
P. H ₂ O	3,8 - 15,1 kW
Pellet fuel consumption	1 - 3,8 kg/h
Efficiency	91,1 - 94,7 %
Flue exit pipe	Ø 80 mm
Tank capacity	23 kg
Burn time	6 - 23 h
Installed power	85 W
Net weight	210 kg
Fans	1 frontal disengageable


- Ceramic and cast iron top
- Front glass
- Painted steel sides
- Cast iron and steel heat exchange surface
- One disengageable frontal fan
- Touch remote



BImSchV 2

HRV 120 PLUS

HYDRO




DESCRIPTION	CODE	PRICE
☐ HRV 120 PLUS - White	130-00-015A-BCO (100-10-017A-BCO) (available while supplies last)	3.940€
☒ HRV 120 PLUS - Black	130-00-015A-BLK (100-10-017A-BLK) (available while supplies last)	3.940€
☐ HRV 120 PLUS - Bordeaux	130-00-015A-BDX (100-10-017A-BDX) (available while supplies last)	3.940€

ACCESSORIES		
WI-FI stove management	K0078AZ00	221 €



HRV 180 PLUS

HYDRO



DESCRIPTION	CODE	PRICE
☐ HRV 180 PLUS - White	143-00-001A-BCO (K0037AR03-BCO) (available while supplies last)	4.490€
☒ HRV 180 PLUS - Bordeaux	143-00-001A-BDX (K0037AR03-BDX) (available while supplies last)	4.490€

ACCESSORIES		
WI-FI stove management	K0078AZ00	221 €






P. TOT.	5,6 - 13,4 kW
P. NOM.	5,2 - 12,4 kW
P. H ₂ O	4,2 - 10 kW
Pellet fuel consumption	1,2 - 2,8 kg/h
Efficiency	94,2 - 92,8 %
Flue exit pipe	Ø 80 mm
Tank capacity	16 kg
Burn time	6 - 14 h
Installed power	140 W
Net weight	160 kg
Fans	1 frontal disengageable

- Self-cleaning brazier
- Cast iron top
- Glass and ceramic front
- Aluminium and ceramic sides
- One disengageable frontal fan
- Touch remote

P. TOT.	6,4 - 23,6 kW
P. NOM.	6,1-21 kW
P. H ₂ O	4,9 - 17,5 kW
Pellet fuel consumption	1,3 - 4,9 kg/h
Efficiency	94 - 90 %
Flue exit pipe	Ø 80 mm
Tank capacity	32 kg
Burn time	7 - 25 h
Installed power	115 W
Net weight	215 kg
Fans	1 frontal disengageable

- Ceramic and cast iron top
- Front glass
- Painted steel sides
- Cast iron and steel heat exchange surface
- One disengageable frontal fan
- Touch remote



DESCRIPTION	CODE	PRICE
 HRV 120 COUNTRY - White	40012FR0C-BCO (K0038AR03-BCO)	4.860 €
 HRV 120 COUNTRY - Bordeaux	40012FR0C-BDX (K0038AR03-BDX)	4.860 €

ACCESSORIES



WI-FI stove management	K0078AZ00	221 €
------------------------	-----------	-------

P. TOT.	4,9 - 16,3 kW
P. NOM.	4,4 - 15,5 kW
P. H₂O	3,8 - 13 kW
Pellet fuel consumption	1 - 3,4 kg/h
Efficiency	91,1 - 95,2 %
Flue exit pipe	Ø 80 mm
Tank capacity	23 kg
Burn time	7 - 23 h
Installed power	79 W
Net weight	220 kg
Fans	1 frontal disengageable

- Self-cleaning brazier
- Cast iron top
- Ceramic coating
- Cast iron firepot
- One disengageable frontal fan
- Touch remote



HRV 160 TOUCH



DESIGN BY DANIELE GUALENI

DESCRIPTION	CODE	PRICE
 HRV 160 TOUCH - White	40020RR03-BCO (K0071AR0C-BCO)	5.390€
 HRV 160 TOUCH - Bordeaux	40020RR03-BDX (K0071AR0C-BDX)	5.390€

ACCESSORIES





WI-FI stove management	K0078AZ00	221 €
------------------------	-----------	-------

P. TOT.	7 - 20,0 kW
P. NOM.	6,7 - 19,0 kW
P. H₂O	5,1 - 15,8 kW
Pellet fuel consumption	1,5 - 4,1 kg/h
Efficiency	95,3 - 94,8 %
Flue exit pipe	Ø 80 mm
Tank capacity	28 kg
Burn time	7 - 19 h
Installed power	87 W
Net weight	235 kg
Fans	1 frontal disengageable

- Self-cleaning brazier
- Ceramic top
- Ceramic sides
- One disengageable frontal fan
- Touch remote



HRV 160 TOUCH STEEL



DESIGN BY DANIELE GUALENI

DESCRIPTION	CODE	PRICE
☐ HRV 160 TOUCH STEEL - White	069-00-001A-BCO (019-KIT1-BCO)	5.390 €
☒ HRV 160 TOUCH STEEL - Bordeaux	069-00-001A-BDX (019-KIT1-BDX)	5.390 €
☐ HRV 160 TOUCH STEEL - Bronze	069-00-001A-BRZ (019-KIT1-BRZ)	5.390 €





ACCESSORIES

WI-FI stove management	K0078AZ00	221 €
------------------------	-----------	-------



BImSchV 2

HRV 160 DESIGN GLASS



DESIGN BY LUDOVICA + ROBERTO PALOMBA

DESCRIPTION	CODE	PRICE
☒ HRV 160 DESIGN GLASS Black	40013LR02-BLK (K0062AZ0B-BLK)	6.390€




BImSchV 2



P. TOT.	7 - 20,0 kW
P. NOM.	6,7 - 19,0 kW
P. H ₂ O	5,1 - 15,8 kW
Pellet fuel consumption	1,5 - 4,1 kg/h
Efficiency	95,3 - 94,8 %
Flue exit pipe	Ø 80 mm
Tank capacity	28 kg
Burn time	7 - 19 h
Installed power	87 W
Net weight	255 kg
Fans	1 frontal disengageable

- Ceramic and cast iron top
- Front glass
- Painted steel sides
- Cast iron and steel heat exchange surface
- One disengageable frontal fan
- Touch remote

HRV 200 STEEL HYDRO



DESIGN BY DANIELE GUALENI


DESCRIPTION	CODE	PRICE
STEEL VERSION		
 HRV 200 - White	40007QR00-BCO	5.790€
 HRV 200 - Bordeaux	40007QR00-BDX ((available while supplies last)	5.790€
 HRV 200 - Bronze	40007QR00-BRZ	5.790€

ACCESSORIES

WI-FI stove management	K0078AZ00	221 €
------------------------	-----------	-------



HRV 250 HYDRO



DESIGN BY DANIELE GUALENI

DESCRIPTION	CODE	PRICE
STEEL VERSION		
 HRV 250 - White	40010VR00-BCO	5.890€
 HRV 250 - Bordeaux	40010VR00-BDX (available while supplies last)	5.890€
 HRV 250 - Bronze	40010VR00-BRZ	5.890€
GLASS VERSION		
 HRV 250 GLASS - Black	40009VR00-BLK	5.890€

ACCESSORIES

WI-FI stove management	K0078AZ00	221 €
------------------------	-----------	-------



A++

P. TOT.	7,6 - 23,6 kW
P. NOM.	7 - 21,9 kW
P. H ₂ O	6,1 - 19,5 kW
Pellet fuel consumption	1,6 - 4,9 kg/h
Efficiency	92,5 - 92,4 %
Flue exit pipe	Ø 100 mm
Tank capacity	32 kg
Burn time	6 - 20 h
Installed power	79 W
Net weight	240 kg
Fans	1 frontal disengageable





- Self-cleaning brazier
- Ceramic top
- Painted steel, ceramic or glass sides
- One disengageable frontal fan
- Touch remote

A++

P. TOT.	7,6 - 28,9 kW
P. NOM.	7 - 26,5 kW
P. H ₂ O	6,1 - 24,1 kW
Pellet fuel consumption	1,6 - 6 kg/h
Efficiency	92,5 - 91,6 %
Flue exit pipe	Ø 100 mm
Tank capacity	32 kg
Burn time	5 - 20 h
Installed power	86 W
Net weight	240 kg
Fans	1 frontal disengageable

- Self-cleaning brazier
- Ceramic top
- Painted steel, ceramic or glass sides
- One disengageable frontal fan
- Touch remote

HRV 140 SILHOUETTE



DESIGN BY LUDOVICA + ROBERTO PALOMBA





DESCRIPTION	CODE	PRICE
☐ HRV 140 SILHOUETTE - White	40014JR01-BCO (available while supplies last)	5.790€
☒ HRV 140 SILHOUETTE - Black	40014JR01-BLK	5.790€
☐ HRV 140 SILHOUETTE - Grey	40014JR01-GRM (available while supplies last)	5.790€

A++

P. TOT.	8,5 - 18,4 kW
P. NOM.	8,1 - 17,3 kW
P. H ₂ O	6,3 - 14,3 kW
Pellet fuel consumption	1,7 - 3,8 kg/h
Efficiency	95,2 - 94 %
Flue exit pipe	Ø 80 mm
Tank capacity	28 kg
Burn time	7 - 16 h
Installed power	88 W
Net weight	200 kg
Fans	1 disengageable

- Self-cleaning brazier
- Hermetic stove
- Steel painted top
- Painted steel sides
- Upper smoke output
- Upper peripheral air diffuser
- One disengageable frontal fan
- Wi-fi included
- Touch remote

HRV 180 SILHOUETTE



DESIGN BY LUDOVICA + ROBERTO PALOMBA

DESCRIPTION	CODE	PRICE
☒ HRV 180 SILHOUETTE - Black	40015NR01-BLK	5.990€
☐ HRV 180 SILHOUETTE - Grey	40015NR01-GRM (available while supplies last)	5.990€
☐ HRV 180 SILHOUETTE - Quartz Grey	40015NR01-GRQ (available while supplies last)	5.990€
☐ HRV 180 SILHOUETTE - Pearl Copper	40015NR01-RAP (available while supplies last)	5.990€

A++

P. TOT.	8,5 - 23,1 kW
P. NOM.	8,1 - 21,8 kW
P. H ₂ O	6,3 - 18,1 kW
Pellet fuel consumption	1,7 - 4,7 kg/h
Efficiency	95,2 - 94,3 %
Flue exit pipe	Ø 80 mm
Tank capacity	28 kg
Burn time	6 - 16 h
Installed power	93 W
Net weight	200 kg
Fans	1 disengageable

TECHNICAL DATA CURRENTLY UNDER CERTIFICATION

- Self-cleaning brazier
- Hermetic stove
- Steel painted top
- Painted steel sides
- Upper smoke output
- Upper peripheral air diffuser
- One disengageable frontal fan
- Wi-fi included
- Touch remote



New electronics for modern warmth.

Ravelli's new products are equipped with revamped electronics, which allow those who use the stove every day to customize the warmth of the home environment. Warmapp has an intuitive and simple interface that remotely governs all functions of the appliance. It also integrates many scalable functions dedicated to the service network that deals with installation, testing and service on our products. Ravelli Warmapp connects to the stove via a simple qr code and enables its easy management:



Dedicated services to those who use the product

- Communicates with the stove with a simple smartphone device;
- Connection to the product via QRCode;
- Service request directly from the app;
- Product firmware update in the background.



Dedicated services to the service network

- On-board connectivity without additional expansions;
- Wireless diagnostics from technical application, no need for cables or pc;
- Remote fleet monitoring with predictive analytics;
- Operating statistics, product histories and maintenance policies.

RBV 7010 COMPACT AIR



* STAND FOR FIREPLACE IS NOT INCLUDED IN PRICE

DESCRIPTION	CODE	PRICE
 RBV 7010 COMPACT Black	50017FR00	3.750€
ACCESSORIES		
Stand for fireplace	K0009DR00	198 €
Right side and front pellet loading kit	K0064AZ0A	342 €
WI-FI stove management	K0078AZ00	221 €


A⁺

P. TOT.	3,2 - 10,2 kW
P. NOM.	3 - 9 kW
Pellet fuel consumption	0,7 - 2,2 kg/h
Efficiency	93,1 - 88 %
Flue exit pipe	Ø 80 mm
Tank capacity	12 kg
Burn time	6 - 18 h
Installed power	88 W
Net weight	120 kg
Fans	1 frontal

- Front glass
- Enhanced view of the flame
- Steel structure
- Compact version
- Reduced height
- One frontal fan
- Touch remote




BImSchV 2




ENCUMBRANCES

Installation without stand for
fireplace and only with side
and top compensation frame



Installation with stand for
fireplace and full frame
compensation



RBV 8010 AIR




* STAND FOR FIREPLACE IS NOT INCLUDED IN PRICE

DESCRIPTION	CODE	PRICE
 RBV 8010 Black	50016FR00	3.750€
ACCESSORIES		
Front pellet loading drawer	K0005DR00	254 €
Stand for fireplace	K0009DR00	198 €
Right side and front pellet loading kit	K0064AZ0A	342 €
WI-FI stove management	K0078AZ00	221 €
CLADDING		
 Cladding Black/Corten	K0007FR00-BCR	496 €
 Cladding Black/Silver	K0007FR00-BSL	496 €
 Cladding Cream/Corten	K0007FR00-CCR	496 €

A⁺


P. TOT.	3,2 - 10,2 kW
P. NOM.	3 - 9 kW
Pellet fuel consumption	0,7 - 2,2 kg/h
Efficiency	93,1 - 88 %
Flue exit pipe	Ø 80 mm
Tank capacity	20 kg
Burn time	9 - 30 h
Installed power	88 W
Net weight	130 kg
Fans	1 frontal

- Front glass
- Enhanced view of the flame
- One frontal fan
- Touch remote




ENCUMBRANCES




Installation without stand for
fireplace and only with side
and top compensation frame



Installation with stand for
fireplace and full frame
compensation



CLADDING



R 1000 PRO AIR



Wall display.




* STAND FOR FIREPLACE IS NOT INCLUDED IN PRICE

DESCRIPTION	CODE	PRICE
 R 1000 PRO Black	50025ER00	3.780€
ACCESSORIES		
Front pellet loading drawer	K0075AZ00	386 €
Stand for fireplace	C10-11-003A	209 €
Additional charger kit	K0064AZ0A	198 €
Welded frame kit	K0083AZ00	209 €
WI-FI stove management	K0078AZ00	221 €

A⁺


P. TOT.	4,6 - 9,5 kW
P. NOM.	4,2 - 8,7 kW
Pellet fuel consumption	0,93 - 1,96 kg/h
Efficiency	93 - 92,2 %
Flue exit pipe	Ø 80 mm
Tank capacity	10 kg
Burn time	5 - 11 h
Installed power	50 - 108 W
Net weight	115 kg
Fans	1 frontal

- Painted Steel structure
- Cast iron firepot
- One frontal fan
- Wall display and remote




ENCUMBRANCES

Installation without stand for fireplace and only with side and top compensation frame




* With additional loading drawer 550

Installation with stand for fireplace and full frame compensation




* With additional loading drawer 570

CLADDING



RCV 1000 FLOW



Wall display.




* STAND FOR FIREPLACE IS NOT INCLUDED IN PRICE

DESCRIPTION	CODE	PRICE
 RCV 1000 Black	002-00-002A	4.390€
ACCESSORIES		
Kit for rear ducting air	002-KIT1-CAN	94 €
Stand for fireplace	002-11-009A	309 €
Right side and front pellet loading kit	K0064AZ0A	342 €
WI-FI stove management	K0078AZ00	221 €

A⁺


P. TOT.	4,6 - 10,5 kW
P. NOM.	4,2 - 9,3 kW
Pellet fuel consumption	0,97 - 2,2 kg/h
Efficiency	91,2 - 88,3 %
Flue exit pipe	Ø 80 mm
Tank capacity	15 kg
Burn time	7 - 15 h
Installed power	110 W
Net weight	165 kg
Fans	2 frontals 1 for ducting

- Ducted and ventilated insert
- Black painted steel finish
- Stainless steel grate
- Extractable front pellet loading tray
- Wide view of the flames
- Integrated RFS system
- Wall display
- Two frontal fans, one of which for ducting




ENCUMBRANCES

Installation without stand for fireplace and only with side and top compensation frame



Installation with stand for fireplace and full frame compensation



MAGNUS FLOW



A⁺


P. TOT.	7,5 - 16,2 kW
P. NOM.	7 - 15 kW
Pellet fuel consumption	1,5 - 3,5 kg/h
Efficiency	93,0 - 92,3 %
Flue exit pipe	Ø 100 mm
Tank capacity	65 kg
Burn time	19 - 42 h
Installed power	156 W
Net weight	240 kg
Fans	3 for ducting

- Flame wider than 40 cm for a natural fire
- XL smart firepot
- Wi-fi included
- Fully adjustable temperature profiles for three different rooms, thanks to three independent fans and RFS technology
- Designed to be fitted as either left or right version during installation phase
- Combustion chamber door with hinges on left or right
- Hopper cover can be opened from left or right
- Smoke extractor can be fitted in six different directions, allowing adjustment of exit flue across 180° range
- Touch remote
- Totally front glass for a better radiation
- Syron sensor alerts when the pellets are running low


DESCRIPTION	CODE	PRICE
 MAGNUS	M0001JR00	6.990€

ACCESSORIES


Compensation cladding kit - 4 sides black	K0066AZ00	209 €
Compensation cladding kit - 3 sides black	K0067AZ00	221 €
Additional charger kit	K0064AZ0A	342 €
Recessed cladding kit - 4 sides	K0069AZ00	221 €



COMPENSATION FRAME KIT - 4 SIDES BLACK




COMPENSATION FRAME KIT - 3 SIDES BLACK




RECESSED FRAME KIT - 4 SIDES







ENCUMBRANCES




INSTALLATION WITH
CLADDING PROVIDED BY
THE FACTORY



4 SIDES CLADDING
INSTALLATION
KIT K0066AZ00



3 SIDES CLADDING
INSTALLATION
KIT K0067AZ00



INSTALLATION WITH
RECESSED CLADDING
KIT K0069AZ00

RBC 8012 FLOW



* STAND FOR FIREPLACE IS NOT INCLUDED IN PRICE

DESCRIPTION	CODE	PRICE
 RBC 8012 Black	60008HR00	4.190€
ACCESSORIES		
Stand for fireplace	K0009DR00	198 €
Insert loading kit	K0064AZ0A	342 €
Right side and front pellet loading kit	K0006FR00	386 €
WI-FI stove management	K0078AZ00	221 €
CLADDING		
 Cladding Black/Corten	K0008FR00-BCR	496 €
 Cladding Black/Silver	K0008FR00-BSL	496 €
 Cladding Cream/Corten	K0008FR00-CCR	496 €


A⁺

P. TOT.	3,2 - 11,6 kW
P. NOM.	3 - 10,2 kW
Pellet fuel consumption	0,7 - 2,4 kg/h
Efficiency	93,1 - 88 %
Flue exit pipe	Ø 80 mm
Tank capacity	20 kg
Burn time	8 - 30 h
Installed power	90 W
Net weight	135 kg
Fans	1 for ventilation and for ducting

- Front glass
- Enhanced view of the flame
- One fan for ducting or frontal ventilation
- Touch remote




BImSchV 2 15a B-VG




ENCUMBRANCES




Installation without stand for
fireplace and only with side
and top compensation frame




Installation with stand for
fireplace and full frame
compensation



CLADDING



RBH 150 V HYDRO




A⁺

P. TOT.	9,2 - 19,8 kW
P. NOM.	8,6 - 18,3 kW
P. H ₂ O	7,0 - 14,6 kW
Pellet fuel consumption	1,9- 4,1 kg/h
Efficiency	93,1 - 92,3 %
Flue exit pipe	Ø 100 mm
Tank capacity	24 kg
Burn time	6 - 13 h
Installed power	95 W
Net weight	185 kg
Fans	1 frontal

- Front glass
- Aluminium grill
- One frontal fan
- Optional right and front pellet loading drawer
- Stand for fireplace included
- Touch remote


* STAND FOR FIREPLACE ALREADY ASSEMBLED AND INCLUDED IN PRICE

DESCRIPTION	CODE	PRICE
 RBH 150 V Black	70006QR00	6.090€
ACCESSORIES		
Right side and front pellet loading kit	K0064AZ0A	342 €
WI-FI stove management	K0078AZ00	221 €
CLADDING		
 Cladding Black/Corten	K0043AR00-BCR	717 €
 Cladding Black/Silver	K0043AR00-BSL	717 €
 Cladding Cream/Corten	K0043AR00-CCR	717 €




ENCUMBRANCES


Installation without stand for fireplace and only with side and top compensation frame



Installation with stand for fireplace and full frame compensation




CLADDING



DESIGN BY DANIELE GUALENI

RBH 200 V HYDRO




* STAND FOR FIREPLACE ALREADY ASSEMBLED AND INCLUDED IN PRICE

DESCRIPTION	CODE	PRICE
 RBH 200 V Black	70004VR00	6.390€
ACCESSORIES		
Right side and front pellet loading kit	K0064AZ0A	342 €
WI-FI stove management	K0078AZ00	221 €
CLADDING		
 Cladding Black/Corten	K00042AR00-BCR	717 €
 Cladding Black/Silver	K00042AR00-BSL	717 €
 Cladding Cream/Corten	K00042AR00-CCR	717 €

A⁺


P. TOT.	9 - 25,3 kW
P. NOM.	8,3 - 23,1 kW
P. H ₂ O	6,7 - 19,0 kW
Pellet fuel consumption	1,8 - 5,2 kg/h
Efficiency	92 - 91,3 %
Flue exit pipe	Ø 100 mm
Tank capacity	24 kg
Burn time	5 - 13 h
Installed power	105 W
Net weight	190 kg
Fans	1 frontal

- Front glass
- Aluminium grill
- One frontal fan
- Optional right and front pellet loading drawer
- Stand for fireplace included
- Touch remote




ENCUMBRANCES


Installation without stand for fireplace and only with side and top compensation frame



Installation with stand for fireplace and full frame compensation



CLADDING



DESIGN BY DANIELE GUALENI

MIA 90 COOKING




A⁺

P. TOT.	4,2 - 10,6 kW
P. NOM.	3,9 - 9,3 kW
Pellet fuel consumption	0,9 - 2,2 kg/h
Efficiency	91,8 - 87,0 %
Flue exit pipe	Ø 80 mm
Tank capacity	19 kg
Burn time	9 - 22 h
Installed power	35 W
Net weight	230 kg
Fans	-

- Self-cleaning firepot
- Ceramic glass cooking surface
- Cast iron disc for fast cooking
- Wide oven for cooking up to 230°C
- Electrically operated for summer season
- Optional rear or side flue exit
- Touch remote
- Unclogging system


DESCRIPTION	CODE	PRICE
 MIA 90 Black	CP01-00-001ABLK	6.250€
ACCESSORIES		
Smoke kit for rear exhaust + TOP kitchen tempered glass	CP01-KIT-FUMI	386 €
Smoke kit for side exhaust (Black) + TOP kitchen tempered glass	CP01-KIT1-FUMI	430 €
WI-FI stove management	K0078AZ00	221 €



HR EVØ 200 SMART HYDRO



A+



P. TOT.	6,0 - 21,6 kW
P. NOM.	5,6 - 20,0 kW
P. H ₂ O	5,6 - 20,0 kW
Pellet fuel consumption	1,3 - 4,6 kg/h
Efficiency	92,8 - 92,5 %
Flue exit pipe	Ø 100 mm
Tank capacity	50 kg
Burn time	11 - 39 h
Installed power	143 W
Net weight	235 kg

DESIGN BY DANIELE GUALENI

DESCRIPTION	CODE	PRICE
☐ HR EVØ 200 SMART	C0002QR01	6.800€

ACCESSORIES

Additional aesthetic tank of $\approx$ 300 kg with transfer auger	A0001AR01	1.599 €
Pneumatic transport kit	K0048AR00	4.708 €
WI-FI stove management	K0078AZ00	221 €


V K F  **BlmSchV 2 15a B-VG**



HR EVØ 250 SMART HYDRO



A+



P. TOT.	6,0 - 27,3 kW
P. NOM.	5,6 - 25,3 kW
P. H ₂ O	5,6 - 25,3 kW
Pellet fuel consumption	1,3 - 5,8 kg/h
Efficiency	92,8 - 92,4 %
Flue exit pipe	Ø 100 mm
Tank capacity	50 kg
Burn time	9 - 39 h
Installed power	151 W
Net weight	235 kg

DESIGN BY DANIELE GUALENI

DESCRIPTION	CODE	PRICE
☐ HR EVØ 250 SMART	C0004VR01	7.100€

ACCESSORIES

Additional aesthetic tank of $\approx$ 300 kg with transfer auger	A0001AR01	1.599 €
Pneumatic transport kit	K0048AR00	4.708 €
WI-FI stove management	K0078AZ00	221 €

V K F  **BlmSchV 2 15a B-VG**






- Self-cleaning brazier
- Semi-cylindrical combustion chamber
- Completely wet smoke inversion
- Large expansion areas of the smoke
- Painted steel sides
- Renewed display
- Removable display in option in option
- Syrian sensor alerts when the pellets are running low
- Wide range of accessories and buffers

HR EVØ 300 SMART HYDRO



A*



DESIGN BY DANIELE GUALENI

DESCRIPTION	CODE	PRICE
☐ HR EVØ 300 SMART	C00060R01	7.500€

ACCESSORIES

Additional aesthetic tank of $\approx$ 300 kg with transfer auger	A0001AR01	1.599 €
Pneumatic transport kit	K0048AR00	4.708 €
WI-FI stove management	K0078AZ00	221 €




V K F  **BlmSchV 2 15a B-VG**



HR EVØ 350 SMART HYDRO



A*



DESIGN BY DANIELE GUALENI

DESCRIPTION	CODE	PRICE
☐ HR EVØ 350 SMART	C00075R01	8.097€

ACCESSORIES

Additional aesthetic tank of $\approx$ 300 kg with transfer auger	A0001AR01	1.599 €
Pneumatic transport kit	K0048AR00	4.708 €
WI-FI stove management	K0078AZ00	221 €

V K F  **BlmSchV 2 15a B-VG**





P. TOT.	8,9 - 34,6 kW
P. NOM.	8,2 - 31,7 kW
P. H ₂ O	8,2 - 31,7 kW
Pellet fuel consumption	1,9 - 7,3 kg/h
Efficiency	91,7 - 91,6 %
Flue exit pipe	Ø 100 mm
Tank capacity	70 kg
Burn time	10 - 37 h
Installed power	146 W
Net weight	315 kg

- Self-cleaning brazier
- Semi-cylindrical combustion chamber
- Completely wet smoke inversion
- Large expansion areas of the smoke
- Painted steel sides
- Renewed display
- Removable display in option in option
- Syrrion sensor alerts when the pellets are running low
- Wide range of accessories

HR WOOD 250

HYDRO







A+

DESCRIPTION	CODE	PRICE	P. MAX	26,5 kW
☐ HR WOOD 250	C0010VC00	7.650€	P. NOM.	24,0 kW
			P. H ₂ O	24,0 kW
			Wood consumption	6 kg/h
			Efficiency	90,8 %
			Flue exit pipe	Ø 150 mm
			Load compartment capacity	21 kg
			Net weight	480 kg
			Stump size	33 cm

- Wood-fired supply
- Removable ash drawer with sealed closure
- Completely wet combustion chamber
- Reverse flame
- High efficiency thanks to the Lambda sensor
- Independent regulation of primary and secondary air
- Lambda sensor

HR WOOD 350 HYDRO



DESCRIPTION

☐ HR WOOD 350

CODE

C00115C00

PRICE

7.990€

A*


P. MAX	34,7 kW
P. NOM.	31,3 kW
P. H ₂ O	31,3 kW
Wood consumption	7,8 kg/h
Efficiency	90,2%
Flue exit pipe	Ø 150 mm
Load compartment capacity	27 kg
Net weight	580 kg
Stump size	50 cm

- Wood-fired supply
- Removable ash drawer with sealed closure
- Completely wet combustion chamber
- Reverse flame
- High efficiency thanks to the Lambda sensor
- Independent regulation of primary and secondary air
- Lambda sensor

NEW PRODUCT

EFESTO

CONVECTION



DESCRIPTION

EFESTO Black

CODE

L0008ER04-BLK

PRICE

2.690 €

A+

P. NOM.

8 kW

Wood consumption

2,5 kg/h

Efficiency

85 %

Flue exit pipe

Ø 150 mm

Net weight

158 kg





Stump size

50 cm

- Entirely made of cast iron
- Large ash drawer
- Wide view of the flame

NEW PRODUCT

THOR



DESCRIPTION

■ THOR Black

CODE

L0009CR04-BLK

PRICE

2.490€

A⁺

P. NOM.

6,5 kW

Wood consumption

1,5 kg/h

Efficiency

85,7 %

Flue exit pipe

Ø 150 mm

Net weight




138 kg

Stump size

25 cm

- Entirely made of cast iron
- Large ash drawer
- Wide view of the flame

DAFNE CONVECTION



Uscita fumi
Flue exit
Sortie de fumée
Ø150mm



A⁺

P. MAX	7 kW
P. NOM.	5,3 kW
Wood consumption	1,8 kg/h
Efficiency	81 %
Flue exit pipe	Ø 150 mm
Net weight	90 kg
Stump size	25 cm




- Painted steel sides
- Vermiculite combustion chamber and fire surface with refractory brick
- Clean combustion
- Smart combustion

DESCRIPTION	CODE	PRICE
■ DAFNE Black	L0001CC01-KIT (KIT-ITA-DAF)	1.940€

ACCESSORIES		
Wood compartment door	30000057	88 €

V K F  A E A I BImSchV 2 15a B-VG

DAFNE VIEW CONVECTION



Uscita fumi
Flue exit
Sortie de fumée
Ø150mm



A⁺

P. MAX	7 kW
P. NOM.	5,3 kW
Wood consumption	1,8 kg/h
Efficiency	81 %
Flue exit pipe	Ø 150 mm
Net weight	90 kg
Stump size	25 cm

- Side glazing for wider flame view
- Vermiculite combustion chamber and fire surface with refractory brick
- Clean combustion
- Smart combustion

DESCRIPTION	CODE	PRICE
■ DAFNE VIEW Black	L0002DC01-KIT (KIT-ITA-DAFV)	2.090€





ACCESSORIES		
Wood compartment door	30000057	88 €

V K F  A E A I BImSchV 2 15a B-VG

CALLIOPE CONVECTION



A*






DESCRIPTION	CODE	PRICE
 CALLIOPE Black	L0003EC01-KIT (KIT-ITA-CAL)	2.190€
ACCESSORIES		
Wood compartment door	30000068	110 €

V K F  A E A I **BlmSchV 2**

CALLIOPE STONE CONVECTION



A*



DESCRIPTION	CODE	PRICE
 CALLIOPE STONE Black	L0004GC07-KIT (KIT-ITA-CALS)	2.690€
ACCESSORIES		
Wood compartment door	30000068	110 €

V K F  A E A I **BlmSchV 2**

P. MAX	8,1 kW
P. NOM.	6,5 kW
Wood consumption	2,2 kg/h
Efficiency	80 %
Flue exit pipe	Ø 150 mm
Net weight	110 kg
Stump size	33 cm


- Painted steel sides
- Vermiculite combustion chamber and fire surface with refractory brick
- Clean combustion
- Smart combustion
- Modern design
- Lower wood compartment

P. MAX	8,1 kW
P. NOM.	6,5 kW
Wood consumption	2,2 kg/h
Efficiency	80 %
Flue exit pipe	Ø 150 mm
Net weight	160 kg
Stump size	33 cm

- Stone top and sides
- Vermiculite combustion chamber and fire surface with refractory brick
- Clean combustion
- Smart combustion
- Modern design
- Lower wood compartment

CALLIOPE VIEW

 CONVECTION



DESCRIPTION	CODE	PRICE
 CALLIOPE VIEW Black	L0005GC01-KIT (KIT-ITA-CALV)	2.190€
ACCESSORIES		
Wood compartment door	30000068	105 €


P. MAX	8,1 kW
P. NOM.	6,5 kW
Wood consumption	2,2 kg/h
Efficiency	80 %
Flue exit pipe	Ø 150 mm
Net weight	120 kg
Stump size	33 cm

- Side glazing for wider flame view
- Vermiculite combustion chamber and fire surface with refractory brick
- Clean combustion
- Smart combustion
- Modern design
- Lower wood compartment

V K F A E A I BImSchV 2

MINERVA

 CONVECTION







DESCRIPTION	CODE	PRICE
 MINERVA Black	L0006HC01-KIT (KIT-ITA-MIN)	2.750€
ACCESSORIES		
Wood compartment door	30000088	132 €

P. MAX	10,9 kW
P. NOM.	8,5 kW
Wood consumption	2,6 kg/h
Efficiency	78 %
Flue exit pipe	Ø 150 mm
Net weight	175 kg
Stump size	50 cm

- Painted steel sides
- Vermiculite combustion chamber and fire surface with refractory brick
- Clean combustion
- Smart combustion
- Modern design
- Lower wood compartment

V K F A E A I BImSchV 2

MINERVA STONE CONVECTION



A⁺

DESCRIPTION	CODE	PRICE
 MINERVA STONE Black	L00071C07-KIT (KIT-ITA-MINS)	3.350€
ACCESSORIES		
Wood compartment door	30000088	132 €

P. MAX	10,9 kW
P. NOM.	8,5 kW
Wood consumption	2,6 kg/h
Efficiency	78 %
Flue exit pipe	Ø 150 mm
Net weight	210 kg
Stump size	50 cm


- Stone top and sides
- Vermiculite combustion chamber and fire surface with refractory brick
- Clean combustion
- Smart combustion
- Modern design
- Lower wood compartment

ERCOLE

 CONVECTION
FLOW (*solo con kit)



A+



P. MAX	9 kW
P. NOM.	8 kW
Wood consumption	2,4 kg/h
Efficiency	86 %
Flue exit pipe	150 Ømm
Net weight	125 kg
Stump size	50 cm

- Full-glass door
- Upper and rear exit flue
- Refractory-brick combustion chamber
- Clean combustion
- Smart combustion
- Modern design

DESCRIPTION	CODE	PRICE
 ERCOLE Black	D0003BC00	3.015€
ACCESSORIES		
Hot air tube connection Ø150	10024209	21 €


V K F  A E A I BImSchV 2

ERMES

 CONVECTION
FLOW (*solo con kit)



A+



P. MAX	10 kW
P. NOM.	9 kW
Wood consumption	2,4 kg/h
Efficiency	86 %
Flue exit pipe	150 Ømm
Net weight	130 kg
Stump size	65 cm

- Full-glass door
- Upper and rear exit flue
- Refractory-brick combustion chamber
- Clean combustion
- Smart combustion
- Modern design


DESCRIPTION	CODE	PRICE
 ERMES Black	D0004CC00	3.323€
ACCESSORIES		
Hot air tube connection Ø150	10024209	21 €

V K F  A E A I BImSchV 2

CHRONOS CONVECTION
FLOW (*solo con kit)



A*



P. MAX	7,5 kW
P. NOM.	6,5 kW
Wood consumption	2 kg/h
Efficiency	86 %
Flue exit pipe	Ø 150 mm
Net weight	115 kg
Stump size	50 cm

- Full-glass door
- Upper and rear exit flue
- Refractory-brick combustion chamber
- Clean combustion
- Smart combustion
- Modern design


DESCRIPTION	CODE	PRICE
 CHRONOS Black	D0001DC00	3.210€
ACCESSORIES		
Hot air tube connection ø150	10024209	21 €

V K F A E A I BImSchV 2 15a B-VG

ZEUS CONVECTION
FLOW (*solo con kit)



A*



P. MAX	8 kW
P. NOM.	7 kW
Wood consumption	2 kg/h
Efficiency	86 %
Flue exit pipe	Ø 150 mm
Net weight	135 kg
Stump size	65 cm


- Full-glass door
- Upper and rear exit flue
- Refractory-brick combustion chamber
- Clean combustion
- Smart combustion
- Modern design

DESCRIPTION	CODE	PRICE
 ZEUS Black	D0002EC00	3.252 €
ACCESSORIES		
Hot air tube connection ø150	10024209	21 €

V K F A E A I BImSchV 2 15a B-VG



RAVELLI



Switching on and remote switch-off,
for a stove that is always
at your fingertips



Settings
customisable settings
for a tailor-made
warmth.
Day by day,
from hour to hour



Integration with
netatmo, for a
heating
intelligent heating



* Compatible with most Ravelli products

RAVELLI SMART Wi-fi

All the benefits of constant connectivity

Imagine being able to control your stove remotely. Now this is possible thanks to the efficient Wi-Fi digital integration between Ravelli products and most recent software and applications. You will be able to set from a distance a weekly or daily schedule deciding both the working hours of your stove and the temperature of your house.



Wi-Fi included with
the purchase of the
stove



Wi-Fi available as
accessory



SYSTEMS



Convection System
The Convection system reproduces the convection movements present in nature, generating comfortable heat that spreads uniformly in the room.



Air System
The Air system suitable for a single setting.



Flow System
The Flow system spreads heat in most rooms of the house. Its use permits total control of heat diffusion among different rooms where the air is ducted.



Hydro System
The Hydro system allows you to heat the house and, at the same time, it feeds the hot water system.



Cooking System
The Cooking system allow you to cook along nature, merging tradition and innovation.

COMBUSTIBLES



Pellet
Pellet is an ecological fuel derived from waste from the working of virgin timber: sawdust and shavings.




Wood
Wood is the renewable resource by nature, with a very low environmental impact.

FLOOR PLATE

DESCRIPTION	CODE	DIMENSIONS		PRICE
Small floor plate in black painted steel	66119	55 X 70 cm		97 €
Small acid-etched floor plate	77016	55 X 70 cm		114 €
Small floor plate in black glass	77053	55 X 70 cm		148 €
Big acid-etched floor plate	77015	80 X 80 cm		137 €


HYDRO ACCESSORIES



BOILER ACCESSORIES HR EVØ SMART

CODE	DESCRIPTION	AVAILABILITY	PRICE
A0001AR01	Additional tank of $\approx$ 300 kg with transfer auger	HR EVØ SMART	1.599 €
K0048AR00	Pneumatic transport kit		4.708 €

ONLY HYDRO WITH RATED POWER GREATER THAN 14KW

	CODE	DESCRIPTION	PRICE
	331041	System separation kit with control unit with ext. containment box	1.091 €
	027-00-001A	External dhw production kit with flow switch	606 €
	331040	System separation kit with control unit with ext. containment box	761 €
	331047	Separation kit without control unit with ext. containment box	650 €
	331096	Power separator control unit	110 €
	331018	Anti-condensation valve 45°	94 €
	331111	Anti-condensation valve union fitting	44 €
	331108	Renewable communication kit for mechanical domestic hot water	298 €
	331100	3-Way 3/4 motorized area valve	127 €
	331115	Metal bulb tank probe 8 mm	22 €

PRODUCT PLUS



Smart Firepot
Self-cleaning precision casting brazier for better cleaning that maximizes energy efficiency.



Remote
Practical and comfortable to make temperature and power adjustments, it also allows to program the stove.



Hermetic
The system picks up the combustion air from outside.



Flow meter
The flow meter acts as an additional safety system in case of air inlet or flue exit obstruction. This system sends an alarm message to the control unit to warn the boiler can't work correctly.



Ravelli Dynamic System
The innovative system of self-regulation of combustion parameters to guarantee maximum efficiency and safety of your stoves.



Cast Iron Heat Exchanger
An efficient temperature exchange process means a perfectly heated home. The exchangers accumulate heat, optimising the exchange with the environment and for long periods.



Ravelli Flow System
The exclusive system for direct control of ducted stoves heat diffusion in different environments, in order to obtain the ideal temperature.



Ravelli Double Cleaning System
Double Cleaning System of the Intelligent brazier, the machine performs an automatic two-stage self-cleaning process. The first uses excess oxygen, while the second cleans the rear section.



Ceramic
Covering a stove with shapes and colours of majolica definitely increases its aesthetic value, while ensuring a better distribution of the heat.



Total Kontrol
Total Kontrol is the combination between Ravelli Double Cleaning System and the K probe to generate a better efficiency and functionality.



Ceramic heater
It guarantees a fast ignition time as it reaches high temperatures very quickly. It is also characterized by a great energy efficiency and reliability over time if compared to a traditional heater, being highly resistant to thermal stress and corrosion.



Pellet Pilot
Directly linked to the work of the K Probe, Pellet Pilot is an innovative pellet feeding system based on the maximum and minimum output of the machine, to avoid waste and maintain.



K thermocouple probe
It detects the temperature of the flame in the combustion chamber and allows a more rapid and reliable control during the phase of switching on and off, during the automatic restart.



Ravelli semicircular combustion
The new combustion chamber has been designed in a smaller semicircular shape and the water reaches the desired temperature sooner.



Stainless steel heat exchanger
The stainless steel heat exchanger increases the fire resistance while avoiding the classic problems linked to wear and tear.



Wet Flue Ways
Has been created to maximise the surfaces which come into contact with the water, optimising the heat produced through the combustion process and reducing heat loss and fuel waste.



Firex 600/700
The special combustion chamber made of Firex 600/700, a vermiculite based material, resulting from the research and development conducted by Ravelli.



Turbulators
The helix shape of the turbulators reduces the speed of the emissions released by the combustion process, increasing machine performance and keeping the exchanger clean.



Glass cleaning system
An additional air channel, creates an air cushion between the flame and the glass -ceramic, guaranteeing its sharpness for several operating hours.



Syrion
The system that alerts you when the pellets are running low, enabling you to manage efficiently and without stress the reloading phase.



Ambient humidifier
The retractable ambient humidifier helps improve air quality in a dry environment. With the addition of a natural essence and balm, it is possible to create a relaxing and pleasant atmosphere.



Upside Down Flame
It is called inverted flame or reverse flame for the position of the combustion chamber, located below the compartment in which the wood is loaded.



Ash drawer
Comfortable and easy removable drawer to collect the ashes burnt.



Smart Combustion
Closed combustion prevents the escape of fumes and increases efficiency



Touch Remote
Remote control for switching on, and off, and adjusting the stove from distance and from different rooms than the one where the appliance is located.



Clean Combustion
In clean combustion we have two advantages: the closed combustion chamber which guarantees a high quality of the fumes, both inlet and outlet and the cleaning of the glass.



Wi-fi kit
That can be associated with pellet stove models. The wi-fi enables you to create and manage a heating calendar, even remotely.



Painted steel coating
We use only the best steels, selected to give shape to the carefully crafted design of our products, to promptly respond to the increasing market demand.



2 Ducting
The application of a double outlet for ducting and the possibility of independent temperature regulation allows up to two different rooms to be heated independently and customised, in addition to the room of installation.



3 Ducting
The application of a third outlet for ducting and the possibility of independent temperature control allows up to three different rooms in addition to the installation to be heated independently and individually.

CERTIFICATIONS

All models are certified according to product standards by the most important European Notified Bodies: the certification procedures formally attest that the product has been tested and inspected in accordance with European product standards, as required by CE Marking and constitute a tangible evidence for

quality, safety and absolute compliance with the standards. Thanks to the achieved high performances, Ravelli's stoves are listed by the most important and stringent quality marks in different UE countries.



European reference standard for residential space heating appliances fuelled by wood pellets.



Ecodesign 2022 sets the minimum efficiency requirements and emissions limits for central heating and hot water appliances.



European reference standard for solid fuel stoves.

15a B-VG

AUSTRIA: certification for compliance with environmental protection measures.



European reference standard for solid fuel boilers.



SWITZERLAND: certification for compliance with fire safety measures.



Body accredited to verify the quality of the product and compliance with European standards EN 14785 EN13240 e EN 303-5



SLOVENIAN: certification for the access to the incentives.



Body accredited to verify the quality of the product and compliance with European standards EN 14785 EN13240 e EN 303-5.



NEW ZELAND: Certification for sale.



Body accredited to verify the quality of the product and compliance with European standards EN 14785 EN13240 e EN 303-5.

BImSchV 2

GERMANY: Certification for sale.



Body accredited to verify the quality of the product and compliance with European directives EMC and LVD.



GERMANY: BAFA - certification for the access to the incentives.



Certification attesting product quality and production standards in accordance with regulations applied in USA and Canada.



GERMANY: certification for hermetic installations.



Certification of emission and efficiency values according to current regulations in USA and Canada.



FRANCE: certification for hermetic installations.



Ecodesign 2020 sets the minimum efficiency requirements and emissions limits for central heating and hot water appliances.

AICO S.p.A.

Executive Headquarters

Via Consorzio Agrario, 3 - 25032
Chiari (BS)

Research and Development Center

Viale del commercio 12/a - 37135
Verona (VR)

T. + 39 030 7402939
info@ravelligroup.it

 Ravellifuocointelligente

 ravellistufe

www.ravelligroup.it

AUTHORIZED DEALER



The manufacturer assumes no responsibility for any errors or inaccuracies in the content of this catalogue and has the right to modify its products at any time and without prior notice, and to make changes considered appropriate for either technical or commercial reasons.
For updating information please refer to the web site www.ravelligroup.com